GHS Safety Data Sheet

SDS No. : BIE01GAEG

Date Issued : 2019/09/24

Section 1. Identification of the substance or mixture and of the supplier **Product Information**

Product name: Bi Bismuth

Product number:	Purity	Form	Size or Shape
BIE06GB	99.999%(5N)	needle-type grains	ca. φ1×L8 (mm)
BIE09GB	5N	grains	ca. 1~5 mm
BIE01CB	99.99%(4N)	chips	ca. 5×5×t1 (mm)
BIE02CB	4N	chips	ca. 10×10×t1 (mm)
BI002_BIET4029	4N	target	φ101.6×t5 (mm)
BI002_BIET4052	4N	target	φ152.4×t5 (mm)

Company Information:

Kojundo Chemical Laboratory Co., Ltd. Manufacturer : 1-28, 5-chome, Chiyoda, Sakado-shi, Saitama Japan 350-0284 Phone: +81-49-284-1511 Fax: +81-49-284-1351 Emergency Phone : +81-49-284-1511

Recommended uses and restrictions on use: For research purposes

Section 2. Hazards identification

Health Hazards	Environmental Hazards	Physical Hazards
Specific target organ toxicity, single exposure: Category 1 Specific target organ toxicity, repeated exposure: Category1	No data available	Flammable solids : Not classified Pyrophoric solids : Not classified Self-heating substances and mixtures : Not classified Substances and mixtures which, in contact with water, emit flammable gases : Not classified
GHS Label: C		

Pictograms or symbols:

-

Warning word: DANGER	
Hazard information	Description of precaution
Causes damage to organs (nervous system, kidney, articulation of the bone) Causes damage to organs (nervous system, kidney, articulation of the bone) through prolonged or repeated exposure	 Avoid breathing dust/mist/gas/fume/vapors/spray. Do not eat, drink or smoke when using this product, and wash hands thoroughly after handling. Call a POISON CENTER or doctor/physician if you feel unwell. Store locked up. Dispose of contents/ container in accordance with local/national regulations.

Section 3. Composition / information on ingredients

Chemical or common name:	Bismuth
Chemical formula:	Bi
Single Substance or Compound:	Single substance
Composition:	100%
CAS #:	7440-69-9

High Purity Materials

KOJUNDO CHEMICAL LABORATORY CO.,LTD.

	rst aid measures	
EINECS:	2311774	
TSCA inventory	Listed	
RTECS#:	EB2600000	

Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.
	Continue to rinse for at least 15 minutes and get medical attention.
Skin contact:	Promptly flush contaminated skin with soap or mild detergent and water.
	Contact physician if irritation continues.
Inhalation:	Remove the exposed person immediately and provide fresh air.
	Get medical attention.
Ingestion:	Rinse mouth and throat with water. Get medical attention immediately.

Section5. Fire fighting measures

Extinguishing media:

Use media appropriate for surrounding fire. Fire fighting: The product is not combustible. Self-contained breathing apparatus and full protective clothing should be used, if the material is involved in fire.

Section 6. Accidental release measures

Personal Precautions:

Workers should use protective wears to prevent contact with the spilt adhesive and inhalation of its vapor/dusts.

Environmental hazard precautions:

Shut off leak if without risk.

Prevent flow out to river, etc. so as not to badly affect.

Method for containment and cleaning up:

Indoor leakage: Ventilate as much as possible until the cleaning is completed. Outdoor leakage: Work from the windward and evacuate the leeward crowd. Gather up, pack in closed DOT-approved waste container as much as possible. Carefully collect remnant and move to a safe place.

Section 7. Handling and storage

Precautions to be taken in handling:

Safe handling: Use protective wears and local ventilation equipment, if inhalation or skin contact is foreseen.

Avoid prolonged or repeated exposure.

Precautions to be taken in storage:

General precautions:	Store the material in a sealed container.
	Store in a cool, dry, well ventilated and dark place away from incompatible
	materials.

Section 8. Exposure controls / personal protection

Exposure guideline:	ACGIH (2019) : No data available
	OSHA (2006) : No data available
Facility measures:	Local ventilation of closed work room or total proper ventilation to prevent
	inhalation.
Protective ware:	Wear appropriate NIOSH/MSHA-approved respirator, safety goggles,
	impervious gloves, protective wear, protective boots.

High Purity Materials KOJUNDO CHEMICAL LABORATORY CO.,LTD.

Appearance:	Metallic silver white solid
Chemical formula:	Bi
Formula weight:	209.0
Melting point:	271.3 °C
Boiling point:	1610 °C
Density:	9.747 g/cm^3
Solubility:	Soluble ; nitric acid, hot sulfuric acid, aqua regia
	Insoluble ; water, hydrochloric acid, conc. sulfuric acid
Flammable:	Non-combustible substance
Oxidation:	None

Section 9. Physical and chemical properties

Section10. Stability and reactivity

Stability:	Stable in closed container.
Reactivity:	
Incompatibility:	Oxidizing agents, halogens, acids
Condition to avoid:	Heat

Section11. Toxicological information

Acute toxicity(Oral):	GHS : Not classified.; Falls below the lowest level. rat LD ₅₀ = 5000 mg/kg (RTECS(2009))
Skin corrosive / irritation:	GHS : No data available
Serious eye damage / irritation:	GHS : No data available
Respiratory sensitization:	GHS : No data available
Skin sensitization:	GHS : No data available
Germ cell mutagenicity:	GHS : No data available
Carcinogenicity:	GHS : No data available
Reproductive toxicity:	GHS : No data available
Specific target organ toxicity	
-single exposure	GHS: Category 1;
	Causes damage to organs (nervous system, kidney, articulation of the bone)
-repeated exposure:	GHS: Category 1;
	Causes damage to organs (nervous system, kidney, articulation of the bone) through prolonged or repeated exposure
Aspiration hazard:	GHS : No data available

Section12. Ecological information

Hazardous to the aquatic environment

1	
-acute toxicity:	GHS : No data available
-chronic toxicity:	GHS : No data available
Hazardous to the ozone layer	GHS : No data available
	No Freon or Halon
Fish toxicity:	No data available
Degradability:	No data available
Bioaccumulative potential:	No data available
Mobility in soil:	No data available

Disposal method: User of the product should contract with the local government or licensed 'Industrial Waste Haulers' for disposal of waste.

Section 14. Transport information

UN classification:	Non-hazards
UN number:	None
HS code:	8106.00
Marine pollution:	None
Precautions:	Container should be transported in a secure position, in a well-ventilated vehicle.

Section 15. Regulatory information

TSCA inventory: listed.

Please refer to any other local / national measures that may be relevant.

Section 16. Other information

The information described above is believed to be correct. However, Kojundo Chemical Lab. makes no representation, warranty nor guarantee of any kind with respect to the information on this data sheet or any use of the product based upon this information.

