

GHS Safety Data Sheet

SDS No. : CAH01PAEG

Date Issued : 2012/08/23

Last updated : 2019/10/18

Section 1. Identification of the substance or mixture and of the supplier

Product Information

Product name: CaF₂ Calcium(II) fluoride

Product number:	Purity	Form	Size or Shape
CAH20PB	99.9%(3N)up	powder	—
CAH11GB	3N	grains	—
CA006_CAIR3007	3N	tablet & target	φ10×t5 (mm)
CA006_CAIR3008	3N	tablet & target	φ20×t5 (mm)
CA006_CAIT3001	3N	tablet & target	φ101.6×t5 (mm)
CA006_CAIT3037	3N	tablet & target	φ152.4×t5 (mm)

Company Information:

Manufacturer : Kojundo Chemical Laboratory Co., Ltd.

1-28, 5-chome, Chiyoda, Sakado-shi, Saitama Japan 350-0284

Phone: +81-49-284-1511 Fax: +81-49-284-1351

Emergency Phone : +81-49-284-1511

Recommended uses and restrictions on use: For research purposes

Section 2. Hazards identification

GHS Classification

Health Hazards	Environmental Hazards	Physical Hazards
No data available	No data available	Flammable solids : Not classified Pyrophoric solids : Not classified Self-heating substances and mixtures : Not classified Substances and mixtures which, in contact with water, emit flammable gases : Not classified

GHS Label:

Pictograms or symbols: Not applicable

Warning word: Not applicable

Hazard information	Description of precaution
Not applicable	Wear protective gloves/protective clothing/eye protection/respiratory protection/face protection during handling. Avoid release to the environment and collect spillage. Protect from sunlight. Store in a cool, dry and well-ventilated place. Keep container tightly closed. Dispose of contents/ container in accordance with local/national regulations.

Section 3. Composition / information on ingredients

Chemical or common name: Calcium fluoride
Chemical formula: CaF₂
Single Substance or Compound: Single substance
Composition: 100%
CAS #: 7789-75-5
RTECS#: EW1760000
TSCA inventory : Listed
EINECS: 2321887



High Purity Materials

KOJUNDO CHEMICAL LABORATORY CO.,LTD.

Section 4. First aid measures

- Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.
Continue to rinse for at least 15 minutes and get medical attention.
- Skin contact: Promptly flush contaminated skin with soap or mild detergent and water.
Contact physician if irritation continues.
- Inhalation: Remove the exposed person immediately and provide fresh air.
Get medical attention.
- Ingestion: Rinse mouth and throat with water. Get medical attention immediately.
-

Section 5. Fire fighting measures

- Extinguishing media: Use media appropriate for surrounding fire.
- Fire fighting: The product is not combustible.
In case of fire, the product may liberate toxic fumes.
Self-contained breathing apparatus and full protective clothing should be used, if the material is involved in fire.
-

Section 6. Accidental release measures

- Personal Precautions: Workers should use protective wears to prevent contact with the spilt adhesive and inhalation of its vapor/dusts.
- Environmental hazard precautions: Shut off leak if without risk.
Prevent flow out to river, etc. so as not to badly affect.
- Method for containment and cleaning up: Indoor leakage: Ventilate as much as possible until the cleaning is completed.
Outdoor leakage: Work from the windward and evacuate the leeward crowd.
Gather up, pack in closed DOT-approved waste container as much as possible.
Carefully collect remnant and move to a safe place.
-

Section 7. Handling and storage

Precautions to be taken in handling:

- Safe handling: Use protective wears and local ventilation equipment, if inhalation or skin contact is foreseen.
Avoid prolonged or repeated exposure.

Precautions to be taken in storage:

- General precautions: Store the material in a sealed container.
Store in a cool, dry, well ventilated and dark place away from incompatible materials.
-

Section 8. Exposure controls / personal protection

Exposure guideline:

Chemical Name	ACGIH(2019) TLV-TWA mg/m ³	OSHA(2006) PEL-TWA mg/m ³
Fluorides (as F)	2.5	2.5

Facility measures: Local ventilation of closed work room or total proper ventilation to prevent inhalation.

Protective ware: Wear appropriate NIOSH/MSHA-approved respirator, safety goggles, impervious gloves, protective wear, protective boots.



High Purity Materials

KOJUNDO CHEMICAL LABORATORY CO.,LTD.

Section 9. Physical and chemical properties

Appearance:	White solid
Chemical formula:	CaF ₂
Formula weight:	78.1
Melting point:	1403 °C
Boiling point:	2500 °C
Density:	3.18 g/cm ³
Solubility:	Insoluble ; water, acetic acid, dilute mineral acid
Flammable:	Non-combustible substance
Oxidation:	None

Section10. Stability and reactivity

Stability:	Stable in closed container.
Reactivity	
Incompatibility:	Acids
Condition to avoid:	Heat
Hazardous decomposition products:	Fumes of fluoride

Section11. Toxicological information

Acute toxicity:	GHS : No data available
Skin corrosive / irritation:	GHS : No data available
Serious eye damage / irritation:	GHS : No data available
Respiratory/ skin sensitization:	GHS : No data available
Germ cell mutagenicity:	GHS : No data available
Carcinogenicity:	GHS : No data available

Carcinogenicity:

Chemical Name	ACGIH (2019)	IARC (2018)	NTP (2016)
Fluorides	A4	—	—

ACGIH(2019) A4 Not classifiable as a human carcinogen.

Reproductive toxicity:	GHS : No data available
Specific target organ toxicity	
— single exposure:	GHS : No data available
— repeated exposure:	GHS : No data available
Aspiration hazard:	GHS : No data available

Section12. Ecological information

Ecotoxicity:	
Hazardous to the aquatic environment	
— acute toxicity:	GHS : No data available
— chronic toxicity:	GHS : No data available
Hazardous to the ozone layer	GHS : No data available
	No Freon or Halon
Fish toxicity:	No data available
Degradability:	No data available
Bioaccumulative potential:	No data available
Mobility in soil:	No data available



Section13. Disposal considerations

Disposal method: User of the product should contract with the local government or licensed 'Industrial Waste Haulers' for disposal of waste.

Section 14. Transport information

UN classification: Non-hazards

UN number: None

HS code: 2826.19

Marine pollution: Yes

Precautions: Container should be transported in a secure position, in a well-ventilated vehicle.

Section 15. Regulatory information

TSCA inventory: listed.

Please refer to any other local / national measures that may be relevant.

Section 16. Other information

The information described above is believed to be correct. However, Kojundo Chemical Lab. makes no representation, warranty nor guarantee of any kind with respect to the information on this data sheet or any use of the product based upon this information.

