

GHS Safety Data Sheet

SDS No. : MOE01GAEG

Date Issued : 2004/11/23

Last updated : 2020/04/16

Section 1. Identification of the substance or mixture and of the supplier

Product Information

Product name: Mo Molybdenum

Product number:	Purity	Form	Size or Shape
MOE08GB	99.9%(3N)up	grains	1~5mm
MOE01WB	3Nup	wire	φ1 (mm)
MOE12RB	99.95%(3N5)	tablets	φ10×t5 (mm)
MOE02RB	3Nup	tablets	φ15×t5 (mm)
MOE04RB	3Nup	tablets	φ20×t5 (mm)
MOE01CB	3Nup	chips	5×5×t1 (mm)
MOE02CB	3Nup	chips	10×10×t1 (mm)
MO001	3N	grains by cutting sheet	ca. 5×5 mm
MO004	3Nup	rod	φ10 (mm)
MO005	3Nup	rod	φ20 (mm)
MO006	99.99%(4N)	rod	φ10 (mm)
MO008	—	sheet & foil	—
MO019	—	boat	—
—	99.97%(3N7)	target	Various sizes, Various Shapes
—	4N(excluding W)	target	Various sizes, Various Shapes

Company Information:

Manufacturer : Kojundo Chemical Laboratory Co., Ltd.
 1-28, 5-chome, Chiyoda, Sakado-shi, Saitama Japan 350-0284
 Phone: +81-49-284-1511 Fax: +81-49-284-1351
 Emergency Phone : +81-49-284-1511

Recommended uses and restrictions on use: For research purposes

Section 2. Hazards identification

GHS Classification

Health Hazards	Environmental Hazards	Physical Hazards
Skin corrosion/ irritation: Category 2 Serious eye damage/ eye irritation: Category 2 Specific target organ toxicity, single exposure: Category,3	No data available	Flammable solids : Not classified Pyrophoric solids : Not classified Self-heating substances and mixtures : Not classified Substances and mixtures which, in contact with water, emit flammable gases : Not classified

GHS Label: W



Pictograms or symbols:

Warning word: WARNING

Hazard information	Description of precaution
Causes skin irritation Causes serious eye irritation May cause respiratory irritation	Wear protective gloves/protective clothing/eye protection/respiratory protection/face protection during handling. Avoid breathing dust/mist/gas/fume/vapors/spray.



High Purity Materials

KOJUNDO CHEMICAL LABORATORY CO.,LTD.

Do not eat, drink or smoke when using this product, and wash hands thoroughly after handling.
 Take off the contaminated clothing and wash before reuse.
 Use only outdoors or in well-ventilated area.
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 IF ON SKIN: Remove immediately all contaminated clothing and rinse skin with water/shower. Then wash skin with plenty of soap and water. If skin irritation occurs, get medical advice/attention.
 Call a POISON CENTER or doctor/physician if you feel unwell.
 Protect from sunlight. Store in a cool, dry and well-ventilated place. Keep container tightly closed.
 Store locked up.
 Dispose of contents/ container in accordance with local/national regulations.

Section 3. Composition / information on ingredients

Chemical or common name:	Molybdenum
Chemical formula:	Mo
Single Substance or Compound:	Single substance
Composition:	100%
CAS #:	7439-98-7
RTECS#:	QA4680000
TSCA inventory :	Listed
EINECS:	23311072

Section 4. First aid measures

Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.
Skin contact:	Promptly flush contaminated skin with soap or mild detergent and water. Contact physician if irritation continues.
Inhalation:	Remove the exposed person immediately and provide fresh air. Get medical attention.
Ingestion:	Rinse mouth and throat with water. Get medical attention immediately.

Section 5. Fire fighting measures

Extinguishing media:	Use media appropriate for surrounding fire.
Fire fighting:	The product is not combustible. Self-contained breathing apparatus and full protective clothing should be used, if the material is involved in fire

Section 6. Accidental release measures

Personal Precautions:	Workers should use protective wears to prevent contact with the spilt adhesive and inhalation of its vapor/dusts.
Environmental hazard precautions:	Shut off leak if without risk. Prevent flow out to river, etc. so as not to badly affect.
Method for containment and cleaning up:	Indoor leakage: Ventilate as much as possible until the cleaning is completed. Outdoor leakage: Work from the windward and evacuate the leeward crowd. Gather up, pack in closed DOT-approved waste container as much as possible. Carefully collect remnant and move to a safe place.



Section 7. Handling and storage

Precautions to be taken in handling:

Safe handling: Use protective wears and local ventilation equipment, if inhalation or skin contact is foreseen.

Avoid prolonged or repeated exposure.

Precautions to be taken in storage:

General precautions: Store the material in a sealed container.

Store in a cool, dry, well ventilated and dark place away from incompatible materials.

Section 8. Exposure controls / personal protection

Exposure guideline:

Chemical Name	ACGIH(2019) TLV-TWA mg/m ³	OSHA(2006) PEL-TWA mg/m ³
Molybdenum	10(I),3(R)	15(T)

I:inhalable particles, R:respirable particles, T:total dust

Facility measures: Local ventilation of closed work room or total proper ventilation to prevent inhalation.

Protective ware: Wear appropriate NIOSH/MSHA-approved respirator, safety goggles, protective gloves etc.

Section 9. Physical and chemical properties

Appearance: Silver white solid

Chemical formula: Mo

Formula weight: 95.9

Melting point: 2617 °C

Boiling point: 4612 °C

Density: 10.22 g/cm³

Solubility: Insoluble ; Water

Soluble ; Hot concentrated sulfuric acid, aqua regia

Flammable: Non-combustible substance

Oxidation: None

Section10. Stability and reactivity

Stability: Stable when stored in sealed container.

Reactivity

Incompatibility: Strong oxidizing agents

Section11. Toxicological information

Acute toxicity (inhalation: dust, mist)	GHS : Not classified.; Falls below the lowest level. Inhalation rat 25-30mg/L/1hr, change of the state was not admitted (ACGIH(2003))
Skin corrosive / irritation:	GHS : Category 2 ; Causes skin irritation
Serious eye damage / irritation:	GHS : Category 2 ; Causes serious eye irritation
Respiratory sensitization:	GHS : No data available
Skin sensitization:	GHS : No data available
Germ cell mutagenicity:	GHS : No data available
Carcinogenicity:	GHS : No data available
Reproductive toxicity:	GHS : No data available
Specific target organ toxicity	
— single exposure:	GHS : Category 3 ; May cause respiratory irritation
— repeated exposure:	GHS : No data available



High Purity Materials

KOJUNDO CHEMICAL LABORATORY CO.,LTD.

Aspiration hazard:

GHS : No data available

Section12. Ecological information

Ecotoxicity:

Hazardous to the aquatic environment

—acute toxicity: GHS : No data available

—chronic toxicity: GHS : No data available

Hazardous to the ozone layer GHS : No data available

No Freon or Halon

Fish toxicity: No data available

Degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

Section13. Disposal considerations

Disposal method: User of the product should contract with the local government or licensed 'Industrial Waste Haulers' for disposal of waste.

Section 14. Transport information

UN classification: Non-hazards

UN number: None

HS code: 8102.95(sheet), 8102.96(wire), 8102.99(others)

Marine pollution: None

Precautions: Container should be transported in a secure position, in a well-ventilated vehicle.

Section 15. Regulatory information

TSCA inventory: Listed.

Please refer to any other local / national measures that may be relevant.

Section 16. Other information

This SDS is for provision of information, and it does not represent a guarantee the properties or safeties of the product.

The information herein is based on the references we could obtained and the present state of our knowledge, however, this SDS does not always cover all information about the product. Some new information or amendments may be added afterwards.

Prior to use, please investigate the laws and regulations of the organization, area and country where the product is to be used. The information is intended to ordinary usage, in case of special handling, sufficient care should be taken.



High Purity Materials

KOJUNDO CHEMICAL LABORATORY CO.,LTD.