<u>GHS Safety Data Sheet</u>

SDS No. : TAE01TAEG

Date Issued : 2012/10/24 Last updated : 2020/02/21

Section 1. Identification of the substance or mixture and of the supplier Product Information

Product name: Ta Tantalum

Product number:	Purity	Form	Size or Shape (mm)
TAE02GB	99.9%(3N)	grains	1~10
TAE01WB	3N	wire	φ1
TAE01RB	99.95%(3N5)	tablets	φ10×t 5
TAE02RB	3N5	tablets	$\varphi 20 imes$ t 5
TAE01CB	3N	chips	$5 \times 5 \times t1$
TAE02CB	3N	chips	10×10×t1
TA002_TAET3047	3N	target	φ101.6×t5
TA002_TAET3138	3N	target	$\phi 152.4 imes t5$
TA002_TAET4070	4N	target	φ101.6×t5
TA002_TAET4025	4N	target	φ152.4×t5
TA018	_	boat	_
_	3N others	target	Various sizes, Various shapes

Company Information:

Manufacturer : Kojundo Chemical Laboratory Co., Ltd.

1-28, 5-chome, Chiyoda, Sakado-shi, Saitama Japan 350-0284 Phone: +81-49-284-1511 Fax: +81-49-284-1351 Emergency Phone: +81-49-284-1511

Recommended uses and restrictions on use: For research purposes

Section 2. Hazards identification GHS Classification

Health Hazards	Environmental Hazards	Physical Hazards
Specific target organ toxicity, single exposure : Category 3	No data available	Flammable solids : Not classified Pyrophoric solids : Not classified Self-heating substances and mixtures : Not classified Substances and mixtures which, in contact with water, emit flammable gases : Not classified
GHS Label: W	~	



Pictograms or symbols:

Warning word: WARNING	
Hazard information	Description of precaution
May cause respiratory irritation	Avoid breathing dust/mist/gas/fume/vapors/spray. Do not eat, drink or smoke when using this product, and wash hands thoroughly after handling. Use only outdoors or in well-ventilated area. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. Protect from sunlight. Store in a cool, dry and well-ventilated place. Keep container tightly closed.

High Purity Materials

KOJUNDO CHEMICAL LABORATORY CO.,LTD.

		Dispose of contents/ container in accordance with local/national regulations.
Section 3.	Composition / in	oformation on ingredients
Chemical or co	mmon name:	Tantalum
Chemical form	ula:	Та
	nce or Compound:	Single substance
Composition:	lee of compound	100%
CAS #:		7440-25-7
RTECS#:		WW5505000
	·	
TSCA inventor	•	
EINECS:		2311355
Section 4.	First aid measu	res
Eye contact:	Promptly wash e	yes with plenty of water while lifting the eye lids.
	Continue to rinse	e for at least 15 minutes and get medical attention.
Skin contact:	Promptly flush co	ontaminated skin with soap or mild detergent and water.
	Contact physicia:	n if irritation continues.
Inhalation:	= =	sed person immediately and provide fresh air.
Get medical attention.		
Ingestion: Rinse mouth and throat with water. Get medical attention immediately.		
Section5. I	Fire fighting m	easures
Extinguishing	• •	
Extinguishing		priate for surrounding fire.
Fine fighting		
Fire fighting:	The product is no	
Self-contained breathing apparatus and full protective clothing should be used, if the material is involved in fire.		
	the material is i	nvolved in fire.
	Accidental relea	se measures
Personal Preca	utions:	
	Workers should u inhalation of its	use protective wears to prevent contact with the spilt adhesive and vapor/dusts.
Environmenta	l hazard precautior	ıs:
	Shut off leak if w	vithout risk.
		to river, etc. so as not to badly affect.
Method for con	tainment and clear	-
		Ventilate as much as possible until the cleaning is completed.
		Work from the windward and evacuate the leeward crowd.
	-	in closed DOT-approved waste container as much as possible.
		remnant and move to a safe place.
	Handling and st	0
	be taken in han	-
Safe handling:	=	wears and local ventilation equipment, if inhalation or skin contact
	is foreseen.	
	Avoid prolonged	d or repeated exposure.
D 1 1	• • • • •	_

Store locked up. Dispose of contents/ container in accordance with local/national regulations.

Precautions to be taken in storage:

General precautions: Store the material in a sealed container. Store in a cool, dry, well ventilated and dark place away from incompatible materials.

High Purity Materials
KOJUNDO CHEMICAL LABORATORY CO.,LTD.

Section 8. Exposure controls / personal protection

Exposure guideline:	ACGIH(2019) : No data available
	OSHA(2006) : PEL-TWA 5 mg/m ³
Facility measures:	Local ventilation of closed work room or total proper ventilation to prevent
	inhalation.
Protective ware:	Wear appropriate NIOSH/MSHA-approved respirator, safety goggles,
	impervious gloves, protective wear, protective boots, etc.

Section 9. Physical and chemical properties

Appearance:	Silver black metal, odorless.
Chemical formula:	Та
Formula weight:	180.9
Melting point:	2996 °C
Boiling point:	5425 °C
Density:	16.6 g/cm^3
Solubility:	Insoluble; water
	Soluble ; hydrofluoric acid, molten alkali
Flammable:	Non-combustible substance
Oxidation:	None

Section10. Stability and reactivity

Stability:	Stable in closed container.
Reactivity	
Incompatibility:	Strong bases, halogens, hydrogen fluoride

Section11. Toxicological information

Acute toxicity(Oral):	GHS : No data available
Skin corrosive / irritation:	GHS : No data available
Serious eye damage / irritation:	GHS : No data available
Respiratory/ skin sensitization:	GHS : No data available
Germ cell mutagenicity:	GHS : No data available
Carcinogenicity:	GHS : No data available
Reproductive toxicity:	GHS : No data available
Specific target organ toxicity	
-single exposure:	GHS : Category 3 ; May cause respiratory irritation
-repeated exposure:	GHS : No data available
Aspiration hazard:	GHS : No data available

Section12. Ecological information

Ecotoxicity:

Hazardous to the aquatic environment		
-acute toxicity:	GHS : No data available	
-chronic toxicity:	GHS : No data available	
Hazardous to the ozone layer	GHS : No data available	
	No Freon or Halon	
Fish toxicity:	No data available	
Degradability:	No data available	
Bioaccumulative potential:	No data available	
Mobility in soil:	No data available	



KOJUNDO CHEMICAL LABORATORY CO.,LTD.

Section13. Disposal considerations

Disposal method: User of the product should contract with the local government or licensed 'Industrial Waste Haulers' for disposal of waste.

Section 14. Transport information

UN classification:	Non-hazards
UN number:	None
HS code:	8103.90
Marine pollution:	None
Precautions:	Container should be transported in a secure position, in a well-ventilated vehicle.

Section 15. Regulatory information

TSCA inventory: listed.

Please refer to any other local / national measures that may be relevant.

Section 16. Other information

This SDS is for provision of information, and it does not represent a guarantee the properties or safeties of the product.

The information herein is based on the references we could obtained and the present state of our knowledge, however, this SDS does not always cover all information about the product. Some new information or amendments may be added afterwards.

Prior to use, please investigate the laws and regulations of the organization, area and co untry where the product is to be used. The information is intended to ordinary usage, in case of special handling, sufficient care should be taken.